

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM  
**LISTING SERVICE**

**LISTING No.** 1451-1636:100

Page 1 of 1

**CATEGORY:** Head-of-Wall/Wall-to-Wall Joint Systems

**LISTEE:** Steeler, Inc, 10023 Martin Luther King Jr. Way S., Seattle, WA 98178  
Contact: Joe Hill (206) 725-2500 FAX (206) 725-1300

**DESIGN:** Light Gauge Framing Members identified as Steeler Slotted Stud System for use in head-of-wall joint systems. Refer to listee's data sheet for detailed product description and operational considerations.

<b>RATING:</b>	<b>System No.</b>	<b>Assembly Rating</b>
	HW-D-0016	1 & 2 hours
	HW-D-0020	1 & 2 hours
	HW-D-0021	1 & 2 hours
	HW-D-0029	1 & 2 hours
	HW-D-0032	2 hours
	HW-D-0033	2 hours
	HW-D-0034	1 & 2 hours
	HW-D-0037	2 hours
	HW-D-0048	1 & 2 hours
	HW-D-0049	1 & 2 hours

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances, and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number, classification, and UL label.

**APPROVAL:** Listed as a light gauge framing member for use in various head-of-wall joint systems up to 2 hour rating when constructed and installed in accordance with UL Fire Resistance Directory. Approved for UL Systems Design Nos: HW-D-0016, HW-D-0020, HW-D-0020, HW-D-0021, HW-D-0029, HW-D-0032, HW-D-0033, HW-D-0034, HW-D-0037, HW-D-0048, and HW-D-0049. Refer to listee's Installation Instruction Manual for details.

08-13-2004



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 23, 2006**

*Listing Expires June 30, 2007*

Authorized By: **DIANE K. AREND, Senior Deputy  
Program Manager**